



# GARLOCK BEARINGS LTD



3202 A-2RS1TN9/W64 Bearing 2D drawings and 3D CAD models

0.591 Inch | 15 Millimeter x 1.378 Inch | 35 Millimeter x 0.626 Inch | 15.9 Millimeter SKF 3202 A-2RS1TN9/W64 Angular Contact Ball Bearings

Bearing No. 3202 A-2RS1TN9/W64

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0
Product Group	B00152
Enclosure	2 Seals
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Polyamide
Contact Angle	30 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	15MM Bore; 35MM Outside Diameter; 15.9MM Width; 2 Seals; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1   ISO P0; No Filling Slot; No Snap Ring;



## GARLOCK BEARINGS LTD

	C0-Medium; Polyamide Cage; 30 Degree; 1 (Si
Other Features	NBR Contact Seal   Glass Fibre Reinforced Cage   W64-Standard Synthetic Grease
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	3202 A-2RS1TN9/W64
Weight / LBS	0.1664
D	1.378 Inch   35 Millimeter
B	0.626 Inch   15.9 Millimeter
d	0.591 Inch   15 Millimeter
bore diameter:	15 mm
snap ring included:	Without Snap Ring
outside diameter:	35 mm
bearing material:	Chrome Steel
overall width:	0.6260 in
radial dynamic load capacity:	2518 lbf
contact angle:	30 °
radial static load capacity:	1529 lbf
row type & fill slot:	Double-Row Non-Fill Slot
operating temperature range:	0 ° F to 185 ° F
internal clearance:	C0
cage material:	Steel
bore type:	Round
finish/coating:	Uncoated



## GARLOCK BEARINGS LTD

closure type:	Double Seal
application:	Metal manufacturing, Paper mills, Steel mills – plate, slab, strip, blast furnace, Overhead cranes, Food and beverage, Rock and stone conveyors, Shipyards Metal manufacturing Pap