



# GARLOCK BEARINGS LTD



0.669 Inch | 17 Millimeter x 1.575 Inch | 40  
 Millimeter x 0.689 Inch | 17.5 Millimeter SKF 3203  
 A-2ZTN9 Angular Contact Ball Bearings

Bearing No. 3203 A-2ZTN9

3203 A-2ZTN9 Bearing 2D drawings and 3D CAD models

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.103
Product Group	B00152
Enclosure	2 Metal Shields
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Polyamide
Contact Angle	30 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	17MM Bore; 40MM Outside Diameter; 17.5MM Width; 2 Metal Shields; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1   ISO P0; No Filling Slot; No Snap Ring;



## GARLOCK BEARINGS LTD

	C0-Medium; Polyamide Cage; 30 Degre
Other Features	Glass Fibre Reinforced Cage
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Weight / LBS	0.2259
D	1.575 Inch   40 Millimeter
B	0.689 Inch   17.5 Millimeter
d	0.669 Inch   17 Millimeter
bore diameter:	17 mm
operating temperature range:	257 ° F
outside diameter:	40 mm
cage material:	Steel
overall width:	0.6875 in
maximum rpm:	16000 rpm
contact angle:	30 °
finish/coating:	Uncoated
bore type:	Round
fillet radius:	0.6 mm
closure type:	Open
series:	32
bearing material:	Steel
weight:	0.22 lb
radial dynamic load capacity:	14.3 kN
manufacturer product page:	<a href="#">Click here</a>
radial static load capacity:	8.8 kN



# GARLOCK BEARINGS LTD

manufacturer upc number:

7316570364392