



## GARLOCK BEARINGS LTD



3208 E-Z Bearing 2D drawings and 3D CAD models

1.575 Inch | 40 Millimeter x 3.15 Inch | 80  
Millimeter x 1.189 Inch | 30.2 Millimeter SKF 3208  
E-Z Angular Contact Ball Bearings

Bearing No. 3208 E-Z

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.634
Product Group	B00152
Enclosure	1 Metal Shield
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	30 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	40MM Bore; 80MM Outside Diameter; 30.2MM Width; 1 Metal Shield; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1   ISO P0; No Filling Slot; No Snap Ring;



## GARLOCK BEARINGS LTD

	C0-Medium; Steel Cage; 30 Degree; 1
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	3208 E-Z
Weight / LBS	1.3966
d	1.575 Inch   40 Millimeter
D	3.15 Inch   80 Millimeter
B	1.189 Inch   30.2 Millimeter
bore diameter:	40 mm
radial static load capacity:	49 kN
outside diameter:	80 mm
maximum temperature:	257 ° F
overall width:	1.1875 in
cage material:	Steel
contact angle:	30 °
maximum rpm:	8000 rpm
row type & fill slot:	Double-Row Filling Slot
finish/coating:	Uncoated
bore type:	Round
fillet radius:	1.1 mm
closure type:	Open
series:	3200
bearing material:	Steel
weight:	1.60 lbs
radial dynamic load capacity:	49.5 kN
manufacturer upc number:	7316573934271



# GARLOCK BEARINGS LTD