



GARLOCK BEARINGS LTD



1.575 Inch | 40 Millimeter x 3.15 Inch | 80
 Millimeter x 1.189 Inch | 30.2 Millimeter SKF 3208
 A-2RS1/W64 Angular Contact Ball Bearings

Bearing No. 3208 A-2RS1/W64

3208 A-2RS1/W64 Bearing 2D drawings and 3D CAD models

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0
EAN	7316574212231
Product Group	B04270
Enclosure	2 Seals
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	30 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	40MM Bore; 80MM Outside Diameter; 30.2MM Width; 2 Seals; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1 ISO P0; No Filling Slot;



GARLOCK BEARINGS LTD

	No Snap Ring; C0-Medium; Steel Cage; 30 Degree; 1 (Single
Other Features	NBR Contact Seal W64-Standard Synthetic Grease
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	3208 A-2RS1/W64
Weight / LBS	1.3536
B	1.189 Inch 30.2 Millimeter
D	3.15 Inch 80 Millimeter
d	1.575 Inch 40 Millimeter
bore diameter:	40 mm
snap ring included:	Without Snap Ring
outside diameter:	80 mm
bearing material:	Chrome Steel
overall width:	1.1890 in
radial dynamic load capacity:	10678 lbf
contact angle:	30 °
radial static load capacity:	7644 lbf
row type & fill slot:	Double-Row Non-Fill Slot
operating temperature range:	0 ° F to 185 ° F
internal clearance:	C0
cage material:	Steel
bore type:	Round
finish/coating:	Uncoated



GARLOCK BEARINGS LTD

closure type:	Double Seal
application:	Metal manufacturing, Paper mills, Steel mills – plate, slab, strip, blast furnace, Overhead cranes, Food and beverage, Rock and stone conveyors, Shipyards Metal manufacturing Pap