



GARLOCK BEARINGS LTD



5.906 Inch | 150 Millimeter x 10.63 Inch | 270 Millimeter x 2.874 Inch | 73 Millimeter SKF NJ 2230 ECM/C3 Cylindrical Roller Bearings

Bearing No. NJ 2230 ECM/C3

NJ 2230 ECM/C3 Bearing 2D drawings and 3D CAD models

| | |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Category | Cylindrical Roller Bearings |
| Inventory | 0.0 |
| Manufacturer Name | SKF |
| Minimum Buy Quantity | N/A |
| Weight | 19.27 |
| Product Group | B04144 |
| Bore Profile | Straight |
| Cage Material | Brass |
| Precision Class | RBEC 1 ISO P0 |
| Number of Rows of Rollers | Single Row |
| Separable | Inner Ring - One Side |
| Rolling Element | Cylindrical Roller Bearing |
| Profile | Complete with Outer and Inner Ring |
| Snap Ring | No |
| Internal Clearance | C3-Loose |
| Retainer | Yes |
| Relubricatable | Yes |
| Inch - Metric | Metric |
| Other Features | High Capacity 1 Rib Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID |
| Long Description | 150MM Bore; Straight Bore Profile; 270MM Outside Diameter; 73MM Width; Brass Cage Material; RBEC 1 ISO P0; Single Row; |



GARLOCK BEARINGS LTD

| | |
|------------------------------|--------------------------------------------------------------------------------|
| | Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C3-Loose Intern |
| Category | Cylindrical Roller Bearing |
| UNSPSC | 31171547 |
| Harmonized Tariff Code | 8482.50.00.00 |
| Noun | Bearing |
| Manufacturer URL | http://www.skf.com |
| Manufacturer Item Number | NJ 2230 ECM/C3 |
| Weight / LBS | 42.446 |
| B | 2.874 Inch 73 Millimeter |
| d | 5.906 Inch 150 Millimeter |
| D | 10.63 Inch 270 Millimeter |
| bore diameter: | 150 mm |
| static load capacity: | 930 kN |
| outside diameter: | 270 mm |
| precision rating: | Not Rated |
| overall width: | 73 mm |
| maximum rpm: | 2800 RPM |
| flanges: | (2) Outer Ring, (1) Inner Ring |
| bearing material: | Steel |
| bore type: | Straight |
| cage material: | Brass |
| number of rows: | 1 |
| finish/coating: | Uncoated |
| internal clearance: | C3 |
| closure type: | Open |
| ring separation: | Separable Ring |
| outer ring width: | 73 mm |
| operating temperature range: | Maximum of +300 ° F |
| fillet radius: | 2.5 mm |



GARLOCK BEARINGS LTD

| | |
|------------------------|--------|
| dynamic load capacity: | 735 kN |
| series: | NJ22 |